



ZERODECK

Zerodeck Porcelain
Catalogue August 2025



info@outdoordeck.co.uk - outdoordeck.co.uk - +44 (0) 208 977 0820

Contents

Zerodeck Porcelain Finishes	2
A-PED Pedestal Range	3
A-PED Joists, Clips, Screws & Accessories	4
PB Pedestal Range	5
PB Joists, Clips, Screws & Accessories	6
Technical Data	7



Zerodeck Porcelain Finishes

Deck Boards



● Amalfi




● Capri



● Malabar



● Riviera



20x200x1200mm

Disclaimer: Please note that there are colour variations between batches, and swatch colours may vary from the original. We always recommend getting a sample.

A-PED Pedestal Range

Sub-frame option for areas requiring a Class A Fire-rated / non-combustible solution



A-PED-24-30*
24-30mm



A-PED-28-34*
28-34mm



A-PED-33-39*
33-39mm



A-PED-33-48
33-48mm



A-PED-48-65
48-65mm



A-PED-57-82
57-82mm



A-PED-72-117
72-117mm



A-PED-105-150
105-150mm



A-PED-140-185
140-185mm



A-PED-175-220
175-220mm



A-PED-210-255
210-255mm



A-PED-245-290
245-290mm



A-PED-280-325
280-325mm



A-PED-315-360
315-360mm



A-PED-350-395
350-395mm

*All models include an integrated slope corrector (up to 5%) except the smallest three models

A-PED Joists, Clips, Screws & Accessories

Sub-frame option for areas requiring a Class A Fire-rated / non-combustible solution



Joists

20mm Joist – Silver



A-PED-JOIST-20
Aluminum
65x20x3000mm

40mm Joist – Silver



A-PED-JOIST-40
Aluminum
65x20x3000mm

Clips

Zerodeck Porcelain Clip – Black



ZERODECK-P-CLIP
Black Anodised Steel

Screws

Zerodeck Porcelain Screw – Black



ZERODECK-P-SCREW
Black Anodised Steel 12mm

Accessories

Spreader Plate



A-PED-SPREADER-170
Thickness 2mm
Diameter 170mm

Membrane Protection 2mm



A-PED-PROTECTOR-2MM-FR
2mm EPDM
Diameter 170mm
Class B Fire-rated

Membrane Protection 3mm



A-PED-PROTECTOR-3MM-FR
3mm EPDM
Diameter 170mm
Class B Fire-rated

PB Pedestals

Sub-frame option for areas requiring BROOF(t4)* or a non-fire-rated solution
*when installed with specific roof build-ups. Please contact us for information.



PB-00
15mm



PB-0-S12
12-18mm



PB-0-S18
18-28mm



PB-01
28-42mm



PB-1
42-60mm



PB-2
60-90mm



PB-3
90-145mm



PB-4
145-245mm



PB-5
230-315mm



PB-6
285-367mm



PB-7
365-480mm



PB-8
480-595mm



PB-9
560-715mm



PB-10
675-830mm



PB-11
755-955mm

Slope Correction: The U-PH5 slope corrector can be used on the base of the pedestal for precise slope correction from 0 to 5%.

PB Joists, Clips, Screws & Accessories

Sub-frame option for areas requiring BROOF(t4)* or a non-fire-rated solution
*when installed with specific roof build-ups. Please contact us for information.



Joists

24mm Joist - Black



U-BRS-24MM-W-B
Decking Joist 2.4m
Height: 24mm

Clips

Zerodeck Porcelain Clip - Black



ZERODECK-P-CLIP
Black Anodised Steel

Screws

Zerodeck Porcelain Screw - Black



ZERODECK-P-SCREW
Black Anodised Steel
12mm

Accessories

Joist Connector



PB-KIT-2
Multiple Joist Connector
for PB-00 to PB-11


Slope Corrector



U-PH5
Base Slope Corrector 0-5%
Height: 14mm

Technical Data

Dimensions: 20x200x1200mm
Weight: 47kg/m²
Finish: Matt wood grain
Fire performance: Euroclass A1



A-PED Model *	FFL in mm using A-PED-JOIST-20 and Zerodeck Porcelain
A-PED-33-48	73-88
A-PED-48-65	88-105
A-PED-57-82	97-122
A-PED-72-117	112-157
A-PED-105-150	145-190
A-PED-140-185	180-225
A-PED-175-220	215-260
A-PED-210-255	250-295
A-PED-245-290	285-330
A-PED-280-325	320-365
A-PED-315-360	355-400
A-PED-350-395	390-435

* Smaller pedestals available without slope correction available on request.

PB Pedestal	FFL in mm using U-BRS-24MM-W-B and Zerodeck Porcelain *
PB-01	72-86
PB-1	86-104
PB-2	104-134
PB-3	134-198
PB-4	198-289
PB-5	274-359
PB-6	329-411
PB-7	409-524
PB-8	524-639
PB-9	604-759
PB-10	719-874
PB-11	799-999

* Slope Correction: The U-PH5 slope corrector can be used on the base of the pedestal for precise slope correction from 0 to 5%. It will add 14mm to the overall height.


Slip Resistance*	Dry	Wet
Amalfi	65	61
Capri	64	61
Malabar	61	50
Riviera	64	59

* Slip resistance results generated using a BS 7976 Munro Portable Skid TesterPendulum Slip Test Results - Lowest PTV



Get in touch

and discover how Zerodeck Porcelain can enhance your projects



info@outdoordeck.co.uk - www.outdoordeck.co.uk - +44 020 8977 0820

